

APPENDIX 8-2

Stage 2 DBP Rule IDSE Exemption Letter from EPA



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 10
1200 Sixth Avenue
Seattle, WA 98101

October 23, 2006

Reply to
Attn Of: OWW-136

William LaRue
City of Anacortes
14489 Riverbend Road
Mount Vernon, Washington 98273

RE: Stage 2 Disinfectants and Disinfection Byproducts Rule (Stage 2 DBPR)
Approval of 40/30 Certification – City of Anacortes

Dear Mr. LaRue:

This letter is to provide confirmation that your 40/30 certification, submitted to meet the Initial Distribution System Evaluation (IDSE) requirement of the Stage 2 DBPR, has been approved.

Your next step will be to prepare a monitoring plan for Stage 2 DBPR compliance monitoring. This plan must be completed before you are required to begin Stage 2 DBPR quarterly compliance monitoring during the period starting October 2012. The Department of Health will provide guidance pertaining to the preparation of this monitoring plan as your compliance date approaches. Until Stage 2 DBPR compliance monitoring begins, you must continue to conduct Stage 1 DBPR monitoring.

Additional information pertaining to choosing Stage 2 DBPR monitoring locations and preparing the Stage 2 DBPR monitoring plan is enclosed for your use. If you have questions regarding this letter, please contact me at (206) 553-1890 or marshall.wendy@epa.gov. For more information regarding this rule visit the Stage 2 DBPR website at www.epa.gov/safewater/disinfection/stage2.

Sincerely,

A handwritten signature in cursive script that reads "Wendy Marshall".

Wendy Marshall
Environmental Scientist

Enclosure

cc: Ethan Moseng - DOH

